

FLORAL MAZE



X
X
X
X
X
X
X
X
X
X
X
X
X
X
X



FLORAL MAZE

QUILT DESIGNED BY *AGFstudio*



the flower FIELDS


FABRICS DESIGNED BY MAUREEN CRACKNELL




Fabric A
FLF85914
WILD MAJESTIC



Fabric B
FLF85909
BLOOMING BURST SUNSET



Fabric C
FLF85913
FLOWERET FOG



Fabric D
FLFS95905
SWEET FLORET GRAZE



Fabric E
FLF85900
BLOOMING BURST SUNRISE



Fabric F
FLF85906
TRELLAGE GILT



Fabric G
FLFS95907
SWEET FLORET BREEZE



Fabric H
FLF85904
THRIVING FLOWERFIELD



Fabric I
FLF85910
FLORAL ABUNDANCE SHADE



Fabric J
FLF85903
CHERISHED GRACE



Fabric K
FLFS95903
HARMONY BURST FLAX



Backing
FLF85911
JOYFUL HOMAGE



FLORAL MAZE

FINISHED SIZE | 87" x 87"

FABRIC REQUIREMENTS

Fabric A	FLF85914	1 yd.
Fabric B	FLF85909	1 $\frac{1}{8}$ yd.
Fabric C	FLF85913	$\frac{3}{8}$ yd.
Fabric D	FLFS95905	Fat Eight.
Fabric E	FLF85900	1 $\frac{1}{4}$ yd.
Fabric F	FLF85906	$\frac{1}{2}$ yd.
Fabric G	FLFS95907	$\frac{1}{4}$ yd.
Fabric H	FLF85904	1 yd.
Fabric I	FLF85910	$\frac{1}{2}$ yd.
Fabric J	FLF85903	3 $\frac{1}{8}$ yd.
Fabric K	FLFS95903	$\frac{3}{4}$ yd.

BACKING FABRIC

FLF85911 9 $\frac{1}{2}$ yds (Suggested)

BINDING FABRIC

Fabric **K** FLFS95903 (Included)

CUTTING DIRECTIONS

$\frac{1}{4}$ " seam allowances are included.
WOF means width of fabric.

Fabric A:

- Fourteen WOF x 2 $\frac{1}{2}$ " strips,
 - **Subcut:**
 - Sixteen (16) 15" x 2 $\frac{1}{2}$ " strips.
 - Sixteen (16) 13" x 2 $\frac{1}{2}$ " strips.

Fabric B:

- Fifteen (15) WOF x 2 $\frac{1}{2}$ " strips,
 - **Subcut:**
 - Eight (8) 11" x 2 $\frac{1}{2}$ " strips.
 - Eight (8) 9" x 2 $\frac{1}{2}$ " strips.
 - Twenty eight (28) 7" x 2 $\frac{1}{2}$ " strips.
 - Twenty eight (28) 5" x 2 $\frac{1}{2}$ " strips.

Fabric C:

- Three (3) WOF x 2 $\frac{1}{2}$ " strips,
 - **Subcut:**
 - Eight (8) 7" x 2 $\frac{1}{2}$ " strips.
 - Eight (8) 5" x 2 $\frac{1}{2}$ " strips.

Fabric D:

- Three (3) 11" x 3" strips,
 - **Subcut:**
 - Eight (8) 3" squares.

Fabric E:

- Sixteen (16) WOF x 2 $\frac{1}{2}$ " strips,
 - **Subcut:**
 - Twenty eight (28) 3" x 2 $\frac{1}{2}$ " strips.
 - Twenty eight (28) 5" x 2 $\frac{1}{2}$ " strips.
 - Twelve (12) 15" x 2 $\frac{1}{2}$ " strips.
 - Twelve (12) 13" x 2 $\frac{1}{2}$ " strips.

Fabric F:

- Five (5) WOF x 2½" strips.
- **Subcut:**
- Eight (8) 11" x 2½" strips.
- Eight (8) 9" x 2½" strips.

Fabric G:

- Two (2) WOF x 3" strips.
- **Subcut:**
- Sixteen (16) 3" squares.

Fabric H:

- Thirteen (13) WOF x 2½" strips.
- **Subcut:**
- Eight (8) 15" x 2½" strips.
- Eight (8) 13" x 2½" strips.
- Twelve (12) 11" x 2½" strips.
- Twelve (12) 9" x 2½" strips.

Fabric I:

- Five (5) WOF x 2½" strips.
- **Subcut:**
- Eight (8) 11" x 2½" strips.
- Eight (8) 9" x 2½" strips.

- One (1) WOF x 3" strip.
- **Subcut:**
- Twelve (12) 3" squares.

Fabric J:

- Forty three (43) WOF x 2½" strips.
- **Subcut:**
- Thirty six (36) 13" x 2½" strips.
- Thirty six (36) 11" x 2½" strips.



- Thirty six (36) 9" x 2½" strips.
- Thirty six (36) 7" x 2½" strips.
- Eight (8) 3" x 2½" strips.
- Eight (8) 5" x 2½" strips.

Fabric K:

- Nine (9) WOF x 2½" strips. (Binding)

CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.

This project is made out four (4) different log cabin fabric combination. We will name them Block 1, 2, 3 and 4.

Block 1

Step 1

- Join one (1) 3" square from fabric **G** and one (1) 3" x 2½" rectangle from fabric **J**.




DIAGRAM 1

Step 2

- Join one (1) 5" x 2½" rectangle from fabric **J** to the right side of the previously sewn piece.




DIAGRAM 2



Step 3

- Join one (1) 5" x 2½" rectangle from fabric **B** to the bottom of the previously sewn piece.




DIAGRAM 3

Step 4

- Join one (1) 7" x 2½" rectangle from fabric **B** to the left side of the previously sewn piece.



DIAGRAM 4

Step 5

- Join one (1) 7" x 2½" rectangle from fabric **J** to the top.




DIAGRAM 5

Step 6

- Join one (1) 9" x 2½" rectangle from fabric **J** to the right side.




DIAGRAM 6

Step 7

- Join one (1) 9" x 2½" rectangle from fabric **F** to the bottom.




DIAGRAM 7

Step 8

- Join one (1) 11" x 2½" rectangle from fabric **F** to the left side.




DIAGRAM 8

Step 9

- Join one (1) 11" x 2½" rectangle from fabric **J** to the top.




DIAGRAM 9

Step 10

- Join one (1) 13" x 2½" rectangle from fabric **J** to the right side.




DIAGRAM 10

Step 11

- Join one (1) 13" x 2½" rectangle from fabric **A** to the bottom




DIAGRAM 11

Step 12

- Join one (1) 15" x 2½" rectangle from fabric **A** to the left side and this will be block 1. Make a total of eight (8) block 1.




DIAGRAM 12

Block 2

Step 1

- Join one (1) 3" square from fabric **D** and one (1) 3" x 2½" rectangle from fabric **E**.




DIAGRAM 13

Step 2

- Join one (1) 5" x 2½" rectangle from fabric **E** to the right side of the previously sewn piece.




DIAGRAM 14

Step 3

- Join one (1) 5" x 2½" rectangle from fabric **C** to the bottom of the previously sewn piece.




DIAGRAM 15

Step 4

- Join one (1) 7" x 2½" rectangle from fabric **C** to the left side of the previously sewn piece.



DIAGRAM 16

Step 5

- Join one (1) 7" x 2½" rectangle from fabric **J** to the top.




DIAGRAM 17

Step 6

- Join one (1) 9" x 2½" rectangle from fabric **J** to the right side.




DIAGRAM 18

Step 7

- Join one (1) 9" x 2½" rectangle from fabric **B** to the bottom.




DIAGRAM 19

Step 8

- Join one (1) 11" x 2½" rectangle from fabric **B** to the left side.



DIAGRAM 20

Step 9

- Join one (1) 11" x 2½" rectangle from fabric **J** to the top.




DIAGRAM 21

Step 10

- Join one (1) 13" x 2½" rectangle from fabric **J** to the right side.




DIAGRAM 22

Step 11

- Join one (1) 13" x 2½" rectangle from fabric **A** to the bottom.



DIAGRAM 23

Step 12

- Join one (1) 15" x 2½" rectangle from fabric **A** to the left side. Make a total of eight (8) block 2.




DIAGRAM 24

Block 3

Step 1

- Join one (1) 3" square from fabric **I** and one (1) 3" x 2½" rectangle from fabric **E**.




DIAGRAM 25

Step 2

- Join one (1) 5" x 2½" rectangle from fabric **E** to the right side of the previously sewn piece.



DIAGRAM 26

Step 3

- Join one (1) 5" x 2½" rectangle from fabric **B** to the bottom of the previously sewn piece.




DIAGRAM 27

Step 6

- Join one (1) 9" x 2½" rectangle from fabric **J** to the right side.




DIAGRAM 30

Step 4

- Join one (1) 7" x 2½" rectangle from fabric **B** to the left side of the previously sewn piece.



DIAGRAM 28

Step 7

- Join one (1) 9" x 2½" rectangle from fabric **H** to the bottom.




DIAGRAM 31

Step 5

- Join one (1) 7" x 2½" rectangle from fabric **J** to the top.




DIAGRAM 29

Step 8

- Join one (1) 11" x 2½" rectangle from fabric **H** to the left side.



DIAGRAM 32

Step 9

- Join one (1) 11" x 2½" rectangle from fabric **J** to the top.



DIAGRAM 33

Step 10

- Join one (1) 13" x 2½" rectangle from fabric **J** to the right side.




DIAGRAM 34

Step 11

- Join one (1) 13" x 2½" rectangle from fabric **E** to the bottom.




DIAGRAM 35

Step 12

- Join one (1) 15" x 2½" rectangle from fabric **E** to the left side. This will be Block 3. Make a total of twelve (12) block 3.




DIAGRAM 36

Block 4

Step 1

- Join one (1) 3" square from fabric **G** and one (1) 3" x 2½" rectangle from fabric **E**.



DIAGRAM 37

Step 2

- Join one (1) 5" x 2½" rectangle from fabric **E** to the right side of the previously sewn piece.




DIAGRAM 38

Step 9

- Join one (1) 11" x 2½" rectangle from fabric **J** to the top.




DIAGRAM 45

Step 10

- Join one (1) 13" x 2½" rectangle from fabric **J** to the right side.




DIAGRAM 46

Step 11

- Join one (1) 13" x 2½" rectangle from fabric **H** to the bottom.




DIAGRAM 47

Step 12

- Join one (1) 15" x 2½" rectangle from fabric **H** to the left side. This will be Block 4. Make a total of eight (8) block 4



DIAGRAM 48

- You should end up with eight (8) block 1, eight (8) block 2, twelve (12) block 3 and eight (8) block 4.





DIAGRAM 49

QUILT TOP

- Arrange all blocks into six rows of six blocks each. Follow diagram 50 for reference.




DIAGRAM 50

- Quilt as desired



DIAGRAM 52

QUILT ASSEMBLY

Sew rights sides together.


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- Cut enough strips 2½" wide by the width of the fabric **K** to make a final strip 358" long and fold the strip length-wise. Start sewing the binding strip in the middle of one side of the quilt leaving an approximated 5" tail. Sew with ¼" seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.

- Stop stitching ¼" before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at ¼" of the border, stitching all the layers. Do the same in the four corners of the quilt.
- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to ¼" and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



- If you are using our 2.5 edition (binding fabric), click or scan this QR code to see a tutorial on how to use this specialty fabric.



XX

Congratulations
& enjoy

XX



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2024 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.